

Interim Inspection of Parish Trees and Recommended Works

To note that the Tri-annual inspection of the Parish Trees by Acacia Trees was completed in September 2021, with Mr Medley in attendance. A schedule of work has been advised and authorisation for costs up to £1375 plus VAT for all work in categories A – C. This does not include:

- Nunnery Green – trees had formerly included but double tagged. HM Land Registry list the land as Registered to Havebury Housing Association – the green was not included in this year’s assessment for this reason
- Trees on upper two greens at Clopton Green (as indicated on plan). This land is listed under HM Land Registry to be in private ownership.
- the work to a Field Maple in the Church Car Park, which is the responsibility of the Parochial Church Council, who have been notified.

Work to Holly Tree in All Saints Churchyard can be completed under List A, no consent from the Archdeacon or Faculty being required.

Suffolk Tree Surgery and Landscape have advised that the main stem to the Holly Tree in the churchyard appears dead, and have quoted on the basis of removal of the stem. The clerk has advised the Churchwarden and awaits their advice on whether they wish just the ivy stem to be severed, or the main stem removed. The quote will be revised down if just the ivy stem is severed.

Quotes received are listed below:

Acacia Tree Surgery	£1375 plus VAT
DM Tree & Landscape Contractors Ltd	£2475 plus VAT
Suffolk Tree Surgery & Landscape ¹	£670 plus VAT

The Tri-annual report is attached as Appendix A. Other quotes are attached as Appendix B.

The parish council has powers under:

- Public Health Act 1875 s.164 – to provide and maintain land for public recreation;
- Local Government Act 1972, s.214(2) – to provide and maintain cemeteries... and
- Open Spaces Act 1906, ss.9 & 10 – to provide and maintain ...or burial ground

Recommendation:

That the Estates Committee authorise the cost of works to Trees identified in the Tri-annual inspection (categories A-C in Appendix A), at not more than £670.00 plus VAT, Clerk to instruct the works to be undertaken in accordance with the proposed schedule advised by Acacia Trees, work to be undertaken by Suffolk Tree Surgery & Landscape.

¹ Contractor who has undertaken work for previous two years

TREE CONDITION AND HAZARD ASSESSMENT ON PARISH COUNCIL TREES

***On behalf of Wickhambrook Parish Council
Carried out on 6 September 2021***

Prepared by Cliff Freed ~ Tech Cert (Arbor.A), Acacia Tree Surgery



ACACIA TREE SURGERY, 63 WINFOLD ROAD, WATERBEACH, CB25 9PR
Tel ~ 01223 861698 Email acaciatreesurg@aol.com Web ~ acaciatreesurgery.co.uk

WICKHAMBROOK PARISH COUNCIL

TREE SURVEY ~ September 2021

1 Instructions

- 1.1 We were instructed by Mrs Workman, Clerk to the Parish Council to carry out the annual condition and hazard assessment of the trees at the following sites as part of the Parish Council's regular tree inspection, monitoring and maintenance programme.

VILLAGE HALL, CEMETERY, COLTSFOOT GREEN, GENESIS GREEN, CHURCH GROUNDS, ALMSHOUSES, ATLETON GREEN, CLOPTON and NUNNERY GREEN

- 1.2 To visually inspect all the trees located in the village sites to assess their physiological and structural condition in order to recommend both remedial works and future management to maintain the Parish Council's tree stock in as safe and healthy condition, as far as is reasonably practicable and in accordance with their Duty of Care as the tree owner.
- 1.3 The inspection was carried out 6 September 2021 with. Some trees require an earlier inspection before the next survey in 2022. This recommendation has been denoted under the priority column with a DN (Diary Note) and we have accordingly made a Diary Note to contact you at the appropriate time to arrange a new inspection.
- 1.4 We have included a 'Work undertaken' column in which to record progress of works, as well as an audit measure for future management.

2 Report limitations

- 2.1 Trees are living organisms whose health and condition can change rapidly. Assessment of their health, condition and subsequent safety should be checked on a regular basis. The Parish Council have undertaken an annual assessment with a qualified arborist.
- 2.2 Our recommendations are valid for the periods denoted under the priority column; however, these only remain valid if there are no changes in conditions, for example construction or alteration of buildings in proximity, change in water levels, change in immediate surface or surround;
- 2.3 There is no guarantee for 100% safety of any tree, even following remedial / management work, due to the laws, forces and phenomenon of nature. Our recommendations will limit the possibility of whole or part failure in normal climatic conditions. However, severe weather extremes cannot be predicted and work specified to eliminate all eventualities would be impossible. Therefore, trees should be re inspected after high winds or other weather extremities.

**WICKHAMBROOK PARISH COUNCIL
TREE SURVEY ~ September 2021**

2 Report limitations (continued)

- 2.4 We have only inspected trees within the boundaries of the sites. No trees on adjacent or neighbouring properties have been assessed.
- 2.5 Whilst we know there are several protected trees and certain areas within a conservation area, we recommend that the exact species and locations are established with the Local Authority before any works commence in order to meet the necessary application or notification requirements as per The Town & Country Planning Act 1990.
- 2.6 Our recommendations are based on the sites as existing at the time of the inspection. Any future activity that causes alteration could void our recommendations, without prior consultation.

3 Method of assessment

- 3.1 All the trees have been inspected from ground level with a visual assessment and where defects in the upper canopies or beyond eye level or concealed areas are suspected, aerial inspections or removal / severance of creeper / ivy have been recommended.

Recommendations are based on Mr Freed's experience and qualification as an arboriculturist of 37 years. Aerial crown inspections should also be carried out at the time of any aerial remedial works taking place.

4 Data specifics / classification

- 4.1 Trees species have been recorded in the common name for ease of interpretation.
- 4.2 Each tree has been denoted with a numbered disc and recorded both in the tree survey schedule and on individual site plans. In some instances it has been more appropriate to group collections of trees, which have been indicated as such in the survey.
- 4.3 Approximate definitions for the Age classes in a normal life span are:~
~ Young (Y) ~ trees in first 1/3 of life expectancy;
~ Semi-mature (SM) ~ trees in 2/3 of life expectancy;
~ Mature (M) ~ trees of 2/3 and over life expectancy;
- 4.4 Costing of category C's ~ the costs applied to these items are more of a price guide and would need to be reviewed at the time of tendering, given the time lapse from the date of the original survey.

WICKHAMBROOK PARISH COUNCIL TREE SURVEY ~ September 2021

4 Data specifics / classification (continued)

4.5 General definitions of condition categories are:~

Good (G) ~ minor defects, if any, of small or no significance

Fair (F) ~ some defects or health issues, but not of significant contribution to overall health and safety of tree, but may warrant monitoring on more regular basis than standard recommendation for assessment

Poor (P) ~ defects or health issues which severely compromise health and safety of the tree

NWR ~ tree does not require any work at the point of this survey

No work at present ~ whilst a defect or area of concern has been noted, it is not significant enough at this stage to require remedial action. This comment therefore is to draw specific attention to the area of concern, in addition to the overall assessment, at the next survey point.

5 Site specifics

Ivy ~ whilst ivy itself is not physically detrimental to the tree's structure, it can create sparse natural foliage or create significant wind resistance if allowed to encroach fully into the crown of the tree. As importantly, it can also conceal defects. We have therefore recommended the severing or removal of ivy in certain instances to either prevent full encroachment or allow a more accurate assessment. Accordingly, all trees where we have recommend ivy is severed for further inspection, have been denoted as FAIR until their condition can be determined.

Bleeding Canker ~ '*Pseudomonas syringae pv. Aesculi*' this infection is particularly virulent with our Horse Chestnut stock and many trees have been lost over the last decade. This pathogen produces bleeding lesions with exudation on the main trunks and branches, causing eventual death of the bark and cambium beneath. At the point where these lesions coalesce and extend, they can girdle entire stems leading to foliage discoloration, premature leaf and branch drop and eventual demise of the whole tree through the disruption of the water and nutrient transportation systems. Unfortunately, there is no guaranteed control measure only risk management and good hygiene when having to carry out remedial pruning; however, pruning infected trees is not advisable if possible. Hence, more of a monitoring regime to chart the extent of decline. Ultimately, the tree will die and have to be removed.

WICKHAMBROOK PARISH COUNCIL TREE SURVEY ~ September 2021

6 General

In general, most of the trees are in a fair to good physiological and structural condition, although there are several Horse Chestnuts with Bleeding Canker which still require monitoring.

Priority As

Most of the recommended works have now been carried out, except for T6 at the Village Hall, which we have now upgraded from Category B to A and a dead Elm in Group 3, also at Village Hall which we have upgraded the Priority rating from B to A.

There are also a couple of new A items which involves the severing of ivy now in order for it to die off in time for the Summer 2022 inspection ~ these are T30, a Field Maple in the Cemetery and T77b, a Holly in the Church grounds.

Diary Notes

There are several trees to be re assessment as part of the monitoring regime, due to their physiological condition and these will be picked up in the 2022 inspection.

All work should be carried out to the standards recommended by BSI 3998:2010 Recommendations for Tree Work by skilled arborists with a minimum of £5,000,000 public liability insurance cover. Timing of works should take account of the Wildlife & Countryside Act and the Bat Protection Act to avoid disturbance of nesting birds and bat habitat, unless deemed of an urgent nature. In the cases of possible bat habitat, advice should be sought from an ecologist, although Mr Freed did not observe any obvious indicators of bats during his inspection.

Professional liability cover effected for £1,000,000 indemnity.

**Cliff Freed ~ Tech Cert (Arbor.A)
Acacia Tree Surgery Ltd**

29 September 2021

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – from 6 to 12 months

C – from 1 to 2 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
VILLAGE HALL STARTING AT CAR PARK ROADSIDE AND WALKING ANTI-CLOCKWISE ~ SURVEY PLAN NO. 1								
T1	ASH	TREES REMOVED						
T2	ASH							
T3	NORWAY SPRUCE	M	G	No significant defects	No work required			
Gp 1	HAWTHORN	M	G	Trees have been reduced and now form a hedge	No work required			
T4	HORSE CHESTNUT	M	P	Suffering advanced bleeding canker; however, no significant decline since 2020 survey	No work required. Re inspect SUMMER 2022	DN		
T5	HORSE CHESTNUT	M	P/F	Suffering bleeding canker; however, no significant decline since 2020 survey. Tree has been heavily reduced from Electricity lines	No work required. Re inspect SUMMER 2022	DN		
T6	BEECH	M	F	Tree has large deadwood	Remove deadwood	A	£260.00	
Gp 2	Mixed species	SM	F	Ash and Walnut in area behind skateboard park with overhang to facility	Cut back canopy overhang to skateboard park by approximately 1 to 1.5ms	B	£400.00	
T7	ASH	M	F	No significant defects	No work required			
T8	OAK	M	F	Tree has minor deadwood throughout crown	No work required at present			
T9	BEECH	TREE REMOVED						

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T10	HORSE CHESTNUT	M	P	Tree has bleeding canker and minor deadwood, sparse crown	No work required. Extent of bleeding canker to be assessed at 2022 survey	DN		
T11	ASH	M	G	No significant defects	No work required			
T12	NORWAY MAPLE	SM	F	Minor deadwood	No work required			
T13	HORSE CHESTNUT	M	F	Ivy covered	No work required at present			
Gp 3	Tree belt behind Women's Inst.	M	G	One dead Elm, no significant defects in remaining trees	Fell dead Elm	A	£125.00	
T14	BEECH	M	F	Very sparse crown and minor deadwood	No work required at present			
T15	HORSE CHESTNUT	M	F	No significant defects	No work required			
<u>CEMETERY ~ SURVEY PLAN NO. 2</u>								
T16	LIME	M	Fair	No significant defects	No work required			
T17	HORSE CHESTNUT	M	Poor	Bleeding canker evident, but no other defects	Re inspect Summer 2022	DN		
T18	RED CHESTNUT	M	Fair	No significant defects	No work required			
T19	HORSE CHESTNUT	M	Poor	Bleeding canker evident, no further decline	Re inspect Summer 2022	DN		

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T20	OAK	M	F	Minor deadwood only, no other significant defects	No work required			
T20a	YEW	M	G	No significant defects	No work required			
Gp 4	ASH	SM	G	Was part of group, which has now been formed into hedge. No significant defects	No work required			
T21	HORSE CHESTNUT	SM	F	No significant defects	No work required			
T22	HORSE CHESTNUT	TREE REMOVED						
T23	WILD PLUM	SM	F	No significant defects	No work required			
Gp 5	Group of YEWS and HOLLY	M	F	No significant defects				
T24	FIELD MAPLE	SM	F	No significant defects				
T25	WILD PLUM	SM	F	No significant defects				
T26	YEW	M	F	Central split in main trunk, now braced with 2 tonne Cobra, no record of installation. No other significant defects	No work required, but inspect bracing 2022	B	£150.00	
T27	LIME	M	F	Previously braced. No significant defects	No work required			
T28	WEeping ASH	TREE REMOVED						
Gp 6	Mixed small trees within rear of old cemetery	M	F	No significant defects	No work required			

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken	
T29	LAWSONS CYPRESS	M	F	Triple stemmed from base.No significant defects.	No work required				
T30	FIELD MAPLE	M	P	In decline and ivy covered	Sever ivy to enable it to die off in time for re inspection SUMMER 2022	A DN	£35.00		
<u>FRONT ROADSIDE BOUNDARY ~ SURVEY PLAN NO. 2</u>									
T31	THORN	SM	F	Ivy covered crown, no other defects	No work required				
T32	CRAB APPLE	TREE REMOVED							
T33	NORWAY MAPLE	SM	F	Minor deadwood, no other defects	No work required				
T34	RAYWOOD ASH	SM	F	Minor deadwood; previously cut back from road	No work required				
T35	RED NORWAY MAPLE	SM	F	No significant defects	No work required				
T36	CRAB APPLE	SM	F	No significant defects	No work required				
T37	CHERRY	SM	F	Minor deadwood, no other significant defects	No work required				
T38	NORWAY MAPLE	SM	F	No significant defects	No work required				
T39	HORSE CHESTNUT	M	F	Previously braced but no record of time of installation. No other defects	Inspect bracing 2022. No work required	B	£200.00		

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T40	LAWSONS CYPRESS	M	F	Twin stemmed from 1m. No significant defects	No work required			
T41	LAWSONS CYPRESS	M	F	No significant defects	No work required			
<u>IN FRONT OF CHAPEL ~ SURVEY PLAN NO. 2</u>								
T42	LAWSONS CYPRESS	M	F	No significant defects	No work required			
T43	LAWSONS CYPRESS	M	F	Recent height reduction. No significant defects	No work required			
T44	YEW	M	F	No significant defects	No work required			
T45	LAWSONS CYPRESS	M	F	Recently reduced and crown lifted. No significant defects	No work required			
T46	LAWSONS CYPRESS	M	F	No significant defects	No work required			
T47	PLUM			Tree removed				
<u>BACK INTO PLAYING FIELD BEHIND RECYCLE BINS ~ SURVEY PLAN NO. 1</u>								
T48	ASH	M	F	No significant defects	No work required			
T49	HORSE CHESTNUT	M	P	Tree has advanced bleeding canker	Monitor Summer 2022	DN		

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature SM – Semi mature Y – Young
 CONDITION (Cond): G – Good F – Fair P – Poor DN ~ Diary Note
 PRIORITY: A – within 6 months B – within 12 to 18 months C – within 2 to 3 years NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T50	HORSE CHESTNUT	M	P	Tree now has bleeding canker	Monitor Summer 2021	DN		
T51	HORSE CHESTNUT	M	F	No significant defects	No work required			
T52	HORSE CHESTNUT	M	P	Tree has advanced bleeding canker, no further decline since 2021 inspection	Monitor Summer 2022	DN		
T53	HORSE CHESTNUT	TREE REMOVED due to bleeding canker						
T53A	WHITEBEAM	SM		MEMORIAL TREE. No significant defects	No work required			
<u>COLTSFOOT GREEN ~ SURVEY PLAN NO. 3</u>								
T54	CHERRY	SM	F	No significant defects	No work required			
T55	CHERRY	SM	F	No significant defects	No work required			
T56	OAK	SM	F	No significant defects	No work required			
T57	SILVER BIRCH	TREE REMOVED						
T57a	FIELD MAPLE	M	F	No significant defects	No work required			

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken	
<u>GENESIS GREEN ~ SURVEY PLAN NO. 4</u>									
T58	ASH	SM	F	Minor deadwood but in low use area	No work required				
T59	ASH	SM	P	Poor specimen, but in low use area. Electricity line in proximity to crown ~ previously managed by UKPN. Minor deadwood, no other defects.	Re inspect Summer 2022	DN			
T60	FIELD MAPLE	SM	F	Minor deadwood, electricity line in proximity to crown ~ previously managed by UKPN	No work required				
T61	ASH	SM	F	Minor deadwood but in low use area. Electricity line in proximity to crown ~ previously managed by UKPN	No work required				
T62	ASH	SM	F	Minor deadwood but in low use area	No work required				
T63	SCARLET OAK	SM	F	Moderate deadwood, but in low use area	No work required at present				
T64	SWEDISH WHITEBEAM	SM	F	Minor deadwood, no other significant defects	No work required				
T65	LIME	SM	F	No significant defects	No work required				
T66	LONDON PLANE	SM	G	No significant defects	No work required				
T67	SCARLET OAK	SM	G	No significant defects	No work required				
T68	CHERRY	TREE REMOVED due to honey fungus infection							

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T69	CHERRY	TREE REMOVED						
T70	MOUNTAIN ASH	SM	P	No significant defects	No work required			
T71	LONDON PLANE	SM	F	Moderate deadwood but in low use area	No work required			
T72	CHERRY	SM	F	Bacterial canker evident	No work required at present			
T73	FIELD MAPLE	SM	F	No significant defects	No work required			
<u>CHURCH ~ SURVEY PLAN NO. 5</u>								
Gp 8	YEWS	M	F	No significant defects	No work required			
T74	LAWSONS CYPRESS	M	F	No significant defects	No work required			
T75	Two ASH	TREES REMOVED						
Gp 9	Six YEWS in churchyard	M	F	No significant defects	No work required			
T76	OAK	SM	F	Crown touching electricity line. No other significant defects	No work required at present, but recheck at 2022 survey regarding alerting UKPN			
T76a	WALNUT	SM	G	No significant defects	No work required			
176b	WALNUT	SM	G	No significant defects	No work required			

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T77	ASH	M	F	Multi-stemmed from base, with no significant defects	No work required			
T77a	THUJA	M	F	No significant defects	No work required			
T77b	HOLLY	M	P	Very sparse crown and ivy covered	Sever ivy to allow it to die off ahead of Summer 2022 inspection	A DN	£55.00	
T77c	SYCAMORE by main gate	SM	F	No significant defects	No work required			
<u>ALMSHOUSES ~ NO PLAN</u>								
No tags	Two CHERRIES & one ASH	SM	F	No significant defects	No work required			
<u>CHURCH CAR PARK ~ SURVEY PLAN NO. 5:</u>								
T78	MIXED SPECIES	M	F	Field Maple within group with dead upper crown. Remaining trees have no significant defects	Field Maple ~ remove major deadwood	B	£150.00	
<u>ATLETON GREEN ~ SURVEY PLAN NO. 6:</u>								
T79	CHERRY	SM	F	Tree is in decline	Monitor Summer 2022	DN		
T80	CHERRY	SM	F	No significant defects yet. Grass cuttings had been placed around tree which is detrimental due to nitrogen leaching into roots	PC has now stopped loading of grass cuttings around base. No work required			
T81	LIME	SM	F	No significant defects yet. Grass cutting are being placed around tree, as above	PC has now stopped loading of grass cuttings around base. No work required			

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature

SM – Semi mature

Y – Young

CONDITION (Cond): G – Good

F – Fair

P – Poor

DN ~ Diary Note

PRIORITY: A – within 6 months

B – within 12 to 18 months

C – within 2 to 3 years

NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
T82	SYCAMORE	M	F	Twin stemmed from 3ms with weak compression fork	No work required at present			
T83	ASH	N	F/P	Multi stemmed from 2.5ms. Minor deadwood but in low use area	No work required			
T84	WILLOW	M	F/P	Previously pollarded. Will require repollarding within 3 to 4 years	No work required at present			
T85	SILVER BIRCH	M	F	No significant defects	No work required			
T86	LIME	SM	G	No significant defects	No work required			
T87	SILVER BIRCH	M	G	No significant defects	No work required			
No tags	Trees around pond	SM / M	F / G	Goat Willow with one split limb and one limb in pond. No significant defects on remaining trees	Remove split limb and limb from pond	B	£150.00	

CLOPTON ~ SURVEY PLAN NO. 7

No tag	Various trees	TREES ARE UNDER NEW OWNERSHIP, NOT SURVEYED						
T88	OAK							
Gp 10	MIXED GROUP							

WICKHAMBROOK PARISH COUNCIL – TREE SURVEY September 2021

NEXT SURVEY ~ July 2022

AGE/CLASS (Age): M – Mature SM – Semi mature Y – Young
CONDITION (Cond): G – Good F – Fair P – Poor DN ~ Diary Note
PRIORITY: A – within 6 months B – within 12 to 18 months C – within 2 to 3 years NWR ~ No work required

Tree i.d.	Species	Age	Cond	Findings	Recommendations	Priority	Cost	Work undertaken
<u>CLOPTON PLAY AREA ~ SURVEY PLAN NO. 7</u>								
T89	CRAB APPLE	M	P	Tree in decline	Re inspect SUMMER 2022	DN		
T90	NORWAY MAPLE	M	F	No significant defects	No work required			
<u>NUNNERY GREEN</u>								
Gp 11	ROW OF HAWTHORNS	TREES UNDER NEW OWNERSHIP, NOT SURVEYED						
T91	ASH							
T92	WILLOW							
T93	ASH							
T94	WILLOW							

Author: L. Administrator

Date: 16/07/2020



**TREE SURVEY
SEPTEMBER 2021**



PLAN 1

Sites ~ VILLAGE HALL
~ PLAYING FIELD
behind recycle
bins

NOTES

T1, T2 and T53 ~ trees
previously removed ~
no discs

Not to scale, indicative
location purposes only



**TREE SURVEY
SEPTEMBER 2021**

PLAN 2

Site ~ CEMETERY

NOTES

T22, T28, T32, T47 ~
trees removed

Not to scale, indicative
location purposes only


Coltsfoot Green

Wickhambrook CP

Parish Trees

Author: L. Administrator

Date: 16/07/2020



**TREE SURVEY
SEPTEMBER 2021**

PLAN 3

Site ~ COLTSFOOT GREEN

NOTES

T57 ~ tree removed

Genesis Green

Wickhambrook CP

Parish Trees

Author: L. Administrator

Date: 16/07/2020



TREE SURVEY
September 2021

PLAN 4

Site ~ GENESIS GREEN

NOTES

T68 and T69 ~ trees
been removed

Not to scale, indicative
location purposes only



All Saints Church

Parish Trees

Wickhambrook CP

Author: L. Administrator

Date: 16/07/2020



TREE SURVEY
September 2021

PLAN 5

Site ~ CHURCH

Notes

T75 2 Ash ~ trees removed

Not to scale, indicative
location purposes only


Attleton Green

Parish Trees

Wickhambrook CP

Author: L. Administrator

Date: 16/07/2020



TREE SURVEY
September 2021

PLAN 6

Site ~ ATTLETON GREEN

Not to scale, indicative
location purposes only



TREE SURVEY
September 2021

PLAN 7

Site ~ Clopton Play Area

Not to scale, indicative location purposes only



From: [DM Tree and Landscape Contractors Ltd](#)
To: [Hilary Workman](#)
Subject: Re: Quote for work to trees
Date: 30 September 2021 08:24:24

Dear Hilary,

Many thanks for your email. Please see quotation below.

Quotation for Tree Work Wickhambrook Parish Council

Carry out tree works in tree survey as per attached to email dated 29.09.2021 categories A-C. Remove all brushwood, cord and debris.

Price: £2475 + vat

I do hope you have the work done, I'll look forward to hearing from you.

Kind regards

Gemma Marjoram

On Wed, 29 Sep 2021 at 10:16, Hilary Workman <parishclerk@wickhambrook.org.uk> wrote:

Hello, we've just got our Annual Tree survey back (copy attached). Please could you let me have your quote for the work identified under categories A-C by close of play tomorrow (I'm sorry it's short notice, but I'm trying to get it onto the October agenda, and there was a delay in getting the survey report back.

Hilary Workman

Clerk & RFO for Wickhambrook Parish Council

Tel: 07508 039810

E-mail: parishclerk@wickhambrook.org.uk - Please note the new address

Website: <https://wickhambrook.org/parish-council/#parish-council-contact>

My normal working days are Monday, Tuesday, Thursday and Friday.

Confidentiality and Privilege: This email and its attachments are intended for the above named only and may be confidential. If they have come to you in error you must take no action based on them, nor must you copy or show them to anyone; please reply to this email and highlight the error. Click here to view our [privacy notice](#).

Security Warning and Viruses: Please note that this email has been created in

the knowledge that Internet email is not a 100% secure communications medium. We advise that you understand and accept this lack of security when emailing us. Although we have taken steps to ensure that this email and attachments are free from any virus, we advise that in keeping with good computing practice the recipient should ensure they are actually virus free.

18 Silhalls Close
Ashley
Newmarket
Suffolk
CB8 9DZ
01638 429451
info@suffolktreesurgery.co.uk
www.suffolktreesurgery.co.uk



Estimate

ADDRESS

Hilary Workman
Wickhambrook Parish
123 York Road
Bury St Edmunds
Suffolk
IP33 3EG

ESTIMATE NO. 1055

DATE 01/10/2021

EXPIRATION 30/11/2021

DATE

DATE	DESCRIPTION	QTY	RATE	AMOUNT
01/10/2021	2021 Interim inspection of parish trees, work as followed	1	0.00	0.00
01/10/2021	T6 Beech, remove deadwood	1	120.00	120.00
01/10/2021	Gp2 Mixed species, cut back canopy overhang to skatepark by approximately 1 - 1.5ms	1	200.00	200.00
01/10/2021	Gp3 Elm, fell dead Elm	1	60.00	60.00
01/10/2021	T26 Yew, Cobra brace installed December 2018	1	0.00	0.00
01/10/2021	T30 Field Maple, sever ivy to enable die off	1	30.00	30.00
01/10/2021	T77c Holly, remove dead ivy-covered	1	120.00	120.00

BACS: 20-29-68 - 93517292
Cheques made payable to: AWC Services
Paypal: info@suffolktreesurgery.co.uk

DATE	DESCRIPTION	QTY	RATE	AMOUNT
01/10/2021	main stem T78 Mixed species Field Maple, remove dead wood	1	100.00	100.00
01/10/2021	Goat Willow around pond, remove x2 split limbs	1	40.00	40.00
TOTAL				£670.00

Accepted By

Accepted Date